

Nitrogen segregation in nanocarbons

C. P. Ewels¹, Ph. Wagner¹, D. Erbahar¹, X. Rocquefelte¹,
O. Stephan², K March², M. Kociak², R. Arenal³, A. Loiseau⁴,
M. Scardamaglia⁵, P. Pochet⁶, R. Snyders⁵, C. Bittencourt⁵

¹ Institute of Materials, CNRS, University of Nantes.

2 Rue de la Houssinière, BP32229, 44322 Nantes, France. Email : chris.ewels@cnrs-imn.fr

² Laboratoire de Physique des Solides, Université Paris Sud, Bâtiment 510, 91405 Orsay, France

³ Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragon (INA)
Universidad de Zaragoza, Spain

⁴ LEM, ONERA, Chatillon, Paris

⁵ ChIPS, Université de Mons, Mons, Belgium

⁶ Laboratoire de simulation atomistique, SP2M, INAC, CEA-UJF, Grenoble, France

We revisit the question of nitrogen doping in nanocarbon materials [1], specifically graphene and carbon nanotubes, using a combination of experiment and theory at different spatial and energetic resolutions. Implantation coupled with scanning X-ray photoelectron microscopy (SPEM) provides information on sample evolution with implantation dose [2,3], and HRTEM with spatially resolved electron energy loss spectroscopy (EELS) gives details on individual point defect structures [4]. These are combined with a broad-ranging density functional theoretical exploration of doping structure and evolution in an attempt to build up a general large scale picture of nitrogen incorporation behaviour in these and other nanocarbons.




Fig. 1a Typical proposed structural composition of highly nitrogen-doped graphene consistent with SPEM measurements of N-ion implantation.




Fig. 1b EELS simulations (i-iii) and experimental (iv) single-pixel spectrum from individual substitutional nitrogen atom in the surface of a single-walled carbon nanotube.

Références

[1] For recent publications in this area, see www.ewels.info

[2] "Nitrogen implantation of suspended graphene flakes: Annealing effects and selectivity of sp^2 nitrogen species", M. Scardamaglia, B. Aleman, M. Amati, C. Ewels, P. Pochet, N. Reckinger, J.-F. Colomer, T. Skaltsas, N. Tagmatarchis, R. Snyders, L. Gregoratti, C. Bittencourt, Carbon, in press (2014)
<http://dx.doi.org/10.1016/j.carbon.2014.02.078>

[3] M. Scardamaglia, B. Aleman, M. Amati, C. Ewels, N. Reckinger, J.-F. Colomer, T. Skaltsas, N. Tagmatarchis, R. Snyders, L. Gregoratti, C. Bittencourt, Carbon (2014) submitted.

[4] "Atomic Configuration of Nitrogen Doped Single-Walled Carbon Nanotubes", R. Arenal, K. March, C. P. Ewels, X. Rocquefelte, M. Kociak, A. Loiseau, O. Stéphan, <http://arxiv.org/abs/1401.5007> (2014)